



UROTECH®
A MEDI-GLOBE COMPANY



SUPRAPUBIC BLADDER DRAINAGE

Ureteral stents

nephrostomy

Suprapubic Bladder
drainage

Accessories

Ureteral Catheters

Foley catheters


Stone baskets

Special Products

SUPRAPUBIC BLADDER DRAINAGE

SUPRA-FIX Puncture- and Exchange Set With pigtail, with funnel

SET COMPONENTS



Pigtail Catheter

- ♦ Polyurethane (PUR)
- ♦ Flexible pigtail to avoid irritation
- ♦ Funnel for attachment of the urinary drainage bag
- ♦ Markings for exact positioning



Split Cannula

- ♦ Medical stainless steel
- ♦ Easy and safe splitting

Guide wire (only in Exchange Set)

- ♦ PTFE-coated

SUPRAPUBIC BLADDER DRAINAGE

Puncture Set / Catheter					
Size (FR/CH)	Length (cm)	Order Code only Pigtail Catheter	Order Code Puncture Set	Split Cannula Size Ø (mm)	Split Cannula Length (cm)
8.0	65	SU-130865	SU-101040	3.6	12
10	65	SU-131065	SU-101046	4.6	12
12	65	SU-131265	SU-101240	5.6	12


Exchange Set						
Size (FR/CH)	Length (cm)	Order Code Exchange Set	Guide wire Length (cm)	Guide wire Diameter	Guide wire Tip	Guide wire Stiffness
8.0	65	SU-131040	100	0.038"	straight	standard
10	65	SU-131046	100	0.038"	straight	standard
12	65	SU-131240	100	0.038"	straight	standard

SUPRAPUBIC BLADDER DRAINAGE

SUPRA-FIX TUR TUR-Puncture Set

With pigtail, with funnel

SET COMPONENTS



Pigtail Catheter

- ♦ Polyurethane (PUR)
- ♦ Open or closed tip
- ♦ Very suitable for drainage and irrigation during TUR procedure
- ♦ Flexible pigtail to avoid irritation
- ♦ Optimal urine drainage due to drainage holes in pigtail
- ♦ Funnel for attachment of the urinary drainage bag
- ♦ Markings for exact positioning



Split Cannula

- ♦ Medical stainless steel
- ♦ Easy and safe splitting

SUPRAPUBIC BLADDER DRAINAGE

Open tip

Size (FR/CH)	Length (cm)	Order Code	Split Cannula Size Ø (mm)	Split Cannula Length (cm)
14	65	SU-121640	5.6	12

Closed tip


Size (FR/CH)	Length (cm)	Order Code	Split Cannula Size Ø (mm)	Split Cannula Length (cm)
14	65	SU-121540	5.6	12

SUPRAPUBIC BLADDER DRAINAGE

SUPRA-FIX BK Puncture-, Exchange- and Dilation Exchange Set

100% silicone, with pigtail, with integrated balloon

SET COMPONENTS



Balloon Catheter

- 💡 Silicone for optimal tissue compatibility
- 💡 Flexible pigtail to avoid irritation
- 💡 Markings for exact positioning



Split Cannula

- 💡 Medical stainless steel
- 💡 Easy and safe splitting

Guide wire (only in Exchange Set)

- 💡 PTFE-coated

SUPRAPUBIC BLADDER DRAINAGE

Puncture Set / Catheter

Size (FR/CH)	Length (cm)	Balloon (ml)	Order Code only Balloon Catheter	Order Code Puncture Set	Split Cannula Size Ø (mm)	Split Cannula Length (cm)
12	40	05	SU-251205	SU-121240	5.6	12
14	40	05	SU-251405	SU-121440	5.6	12
16	40	10	SU-251605			
18	40	10	SU-251805			

Exchange Set

Size (FR/CH)	Length (cm)	Balloon (ml)	Order Code Exchange Set	Guide wire Length (cm)	Guide wire Diameter	Guide wire Tip	Guide wire Stiffness
12	40	05	SU-124540	100	0.038"	straight	standard
14	40	05	SU-124640	100	0.038"	straight	standard
16	40	10	SU-124740	100	0.038"	straight	standard
18	40	10	SU-124840	100	0.038"	straight	standard


Dilation Exchange Set

Size (FR/CH)	Length (cm)	Balloon (ml)	Order Code Dilation Exchange Set	Dilator (FR/CH)	Guide wire Length (cm)	Guide wire Diameter	Guide wire Tip	Guide wire Stiffness
12	40	05	SU-124541	14	100	0.038"	straight	standard
14	40	05	SU-124641	16	100	0.038"	straight	standard
16	40	10	SU-124741	18	100	0.038"	straight	standard

SUPRAPUBIC BLADDER DRAINAGE

SUPRA-FIX-INTEGRALE Puncture-, Exchange- and Dilation Exchange Set 100% silicone, with integrated balloon

SET COMPONENTS



Balloon Catheter

- 💡 Silicone for optimal tissue compatibility
- 💡 Markings for exact positioning



Split Cannula

- 💡 Medical stainless steel
- 💡 Easy and safe splitting

Guide wire (only in Exchange Set)

- 💡 PTFE-coated

SUPRAPUBIC BLADDER DRAINAGE

Puncture Set / Catheter

Size (FR/CH)	Length (cm)	Balloon (ml)	Order Code only Balloon Catheter	Order Code Puncture Set	Split Cannula Size Ø (mm)	Split Cannula Length (cm)
08	30	1.5	SU-270825	SU-110826	3.6	08
10	30	3.0	SU-271025	SU-111026	4.6	08
10	40	3.0	SU-271005	SU-111030	4.6	12
12	30	5.0	SU-271225	SU-111226	4.6	08
12	40	5.0	SU-271205	SU-111230	4.6	12
14	30	5.0	SU-271425			
14	40	5.0	SU-271405	SU-111430	5.6	12
16	30	5-10	SU-271625			
16	40	5-10	SU-271605			
18	30	5-10	SU-271825			
18	40	5-10	SU-271805			
20	30	5-10	SU-272025			
20	40	5-10	SU-272005			
22	30	5-10	SU-272225			
22	40	5-10	SU-272205			
24	40	5-10	SU-272405			

Exchange Set

Size (FR/CH)	Length (cm)	Balloon (ml)	Order Code Exchange Set	Guide wire Length (cm)	Guide wire Diameter	Guide wire Tip	Guide wire Stiffness
08	30	1.5	SU-140826	100	0.025"	straight	standard
10	30	3.0	SU-141026	100	0.032"	straight	standard
10	40	3.0	SU-141030	100	0.032"	straight	standard
12	30	5.0	SU-141226	100	0.032"	straight	standard
12	40	5.0	SU-141230	100	0.032"	straight	standard
14	30	5.0	SU-141426	100	0.038"	straight	standard
14	40	5.0	SU-141430	100	0.038"	straight	standard
16	30	5-10	SU-141626	100	0.038"	straight	standard
16	40	5-10	SU-141630	100	0.038"	straight	standard
18	30	5-10	SU-141826	100	0.038"	straight	standard
18	40	5-10	SU-141830	100	0.038"	straight	standard
20	40	5-10	SU-142030	100	0.038"	straight	standard

Dilation Exchange Set


Size (FR/CH)	Length (cm)	Balloon (ml)	Order Code Dilation Exchange Set	Dilator (FR/CH)	Guide wire Length (cm)	Guide wire Diameter	Guide wire Tip	Guide wire Stiffness
10	40	3.0	SU-141031	12	100	0.032"	straight	standard
12	40	5.0	SU-141231	14	100	0.032"	straight	standard
14	40	5.0	SU-141431	16	100	0.038"	straight	standard
16	40	5-10	SU-141631	18	100	0.038"	straight	standard

SUPRAPUBIC BLADDER DRAINAGE

SUPRA-FIX Suprapubic Balloon Catheter

100% silicone, with hollow stylet, with integrated balloon

SET COMPONENTS



Balloon Catheter

- 💡 Silicone for optimal tissue compatibility
- 💡 Reinforced tip
- 💡 Markings for exact positioning



Hollow Stylet

- 💡 To stabilise the balloon catheter

Size (FR/CH)	Length (cm)	Balloon (ml)	Order Code	Hollow Stylet Max. Guide wire Diameter
12	40	5	SU-241205	0.035"
14	40	5	SU-241405	0.035"
16	40	10	SU-241605	0.035"
18	40	10	SU-241805	0.035"



UROTECH®
A MEDI-GLOBE COMPANY




ACCESSORIES

ACCESSORIES

GUIDE WIRES

STANDARD GUIDE WIRE



Standard – PTFE-coated stainless steel

Order Codes	Diameter (inch)	Length (cm)	Tip	Tip Stiffness	Shaft Stiffness
EN-340028	0.028"	100	straight	standard	standard
EN-340032	0.032"	100	straight	standard	standard
EN-340035	0.035"	100	straight	standard	standard
EN-340038	0.038"	100	straight	standard	standard
SU-120101	0.045"	100	straight	standard	standard
EN-340125	0.025"	125	straight	standard	standard
EN-340128	0.028"	125	straight	standard	standard
EN-340135	0.035"	125	straight	standard	standard
EN-340135-S	0.035"	125	straight	standard	stiff
EN-340228	0.028"	145	straight	standard	standard
EN-340150	0.035"	150	straight	standard	standard
EN-340035-J3	0.035"	100	J-tip (3.0 mm)	standard	standard

Lunderquist – PTFE-coated stainless steel

Order Codes	Diameter (inch)	Length (cm)	Tip	Tip Stiffness	Shaft Stiffness
RE-420170	0.025"	70	straight	standard	stiff
RE-420780	0.035"	80	J-tip (1.5 mm)	standard	stiff
RE-420380	0.035"	80	J-tip (3.0 mm)	standard	stiff
RE-420180	0.035"	80	straight	standard	stiff

With movable core – PTFE-coated stainless steel

Order Codes	Diameter (inch)	Length (cm)	Tip	Tip Stiffness	Shaft Stiffness
RE-420210	0.035"	125	straight	standard	standard
RE-420211	0.035"	150	straight	standard	standard

Schüller Guide wire – uncoated stainless steel

Order Codes	Diameter (inch)	Length (cm)	Tip 9 cm	Tip Stiffness	Shaft Stiffness
RE-430300	0.035"	100	J-tip (3.0 mm)	standard	stiff

ACCESSORIES

TIGER GUIDE WIRE



- Black-yellow swivelled, better control of wire movement
- Nitinol-core prevents kinking
- PTFE-coating supports easy and fast placement and ensures optimal gliding property for instruments

Order Codes	Diameter (inch)	Length (cm)	Tip	Tip Stiffness	Shaft Stiffness
UTD-35150	0.035"	150	straight	standard	standard
UTD-35150-A	0.035"	150	bent	standard	standard

SEMISLIP



- Suitable for all urological procedures
- 5 cm, very flexible and hydrophilic tip provides non-traumatic insertion and safe bypass of obstructions
- PTFE-coated shaft supports easy and fast placement and reduces the risk of dislocation during urological procedures

Order Codes	Diameter (inch)	Length (cm)	Tip	Tip Stiffness	Shaft Stiffness
UAS-35150-S	0.035"	150	straight	standard	standard

ACCESSORIES

UROLIX – HYDROPHILIC-COATED



Attention: To receive optimal results of the hydrophilic effect, please moisturise the Guide wire prior to use!


- High flexibility and kink-resistance
- Nitinol-core

Urolix					
Order Codes	Diameter (inch)	Length (cm)	Tip	Tip Stiffness	Shaft Stiffness
UXN-SS-2515	0,025"	150 cm	straight	standard	standard
UXN-SS-3215	0,032"	150 cm	straight	standard	standard
UXN-SS-3515	0,035"	150 cm	straight	standard	standard
UXN-SS-3815	0,038"	150 cm	straight	standard	standard
UXN-SF-2515	0,025"	150 cm	straight	floppy / 70 mm	standard
UXN-SF-3215	0,032"	150 cm	straight	floppy / 70 mm	standard
UXN-SF-3515	0,035"	150 cm	straight	floppy / 70 mm	standard
UXN-SF-3815	0,038"	150 cm	straight	floppy / 70 mm	standard
UXS-SS-2515	0,025"	150 cm	straight	standard	stiff
UXS-SS-3215	0,032"	150 cm	straight	standard	stiff
UXS-SS-3515	0,035"	150 cm	straight	standard	stiff
UXS-SS-3815	0,038"	150 cm	straight	standard	stiff
UXN-CS-3515	0,035"	150 cm	angled	standard	standard
UXN-CS-3815	0,038"	150 cm	angled	standard	standard
UXS-CS-3515	0,035"	150 cm	angled	standard	stiff

ACCESSORIES

PLATINPUSHER Pusher with radiopaque marker

DESCRIPTION



Pusher

- ◆ Marker indicates precise location of the pusher
- ◆ Supports correct stent positioning
- ◆ Special length for endoscopic working channel

Size (FR/CH)	Length (cm)	Order Code	Max. Guide wire Diameter
05	45	PU-0545-RM	0.028"
05	70	PU-0570-RM	0.028"
06	45	PU-0645-RM	0.035"
06	70	PU-0670-RM	0.035"
07	45	PU-0745-RM	0.035"
08	45	PU-0845-RM	0.038"

ACCESSORIES

NEPHROSTOMY PUNCTURE NEEDLES

Ultrasonic visible due to sandblasted cannula tip or ring marking

1-part cannula




Size (G)	Length (cm)	Order Code	Max. Guide wire Diameter
19	20	RE-440620	0.035"

2-part cannula



Size (G)	Length (cm)	Order Code	Max. Guide wire Diameter
18	19.5	RE-440720	0.035"

3-part cannula



Size (G)	Length (cm)	Order Code	Max. Guide wire Diameter
18	20	RE-440320	0.035"


ACCESSORIES

BIOPSY CANNULA

For automatic biopsy

- Optimized cut for histological findings
- Centimeter graduation for precise penetration depth
- Echogenic tip for clear ultrasound visibility
- Clear size recognition by color coating

DNG-1010 among others suitable for PRO-MAG™ 2.2



DNG-1020 among others suitable for PRO-MAG™ Ultra



Size (G)	Length (cm)	Order Code	Matching Coaxial Needle
14	10	DNG-1010-14-0100	COX-1010-14-0046
14	12	DNG-1010-14-0120	
14	16	DNG-1010-14-0160	COX-1010-14-0106
14	20	DNG-1010-14-0200	
16	10	DNG-1010-16-0100	COX-1010-16-0046
16	16	DNG-1010-16-0160	COX-1010-16-0106
16	20	DNG-1010-16-0200	
16	25	DNG-1010-16-0250	
18	10	DNG-1010-18-0100	COX-1010-18-0049
18	16	DNG-1010-18-0160	COX-1010-18-0106
18	20	DNG-1010-18-0200	COX-1010-18-0146
18	25	DNG-1010-18-0250	
18	30	DNG-1010-18-0300	
20	10	DNG-1010-20-0100	COX-1010-20-0049
20	16	DNG-1010-20-0160	COX-1010-20-0109
20	20	DNG-1010-20-0200	

Size (G)	Length (cm)	Order Code	Matching Coaxial Needle
14	10	DNG-1020-14-0100	COX-1020-14-0046
14	12	DNG-1020-14-0120	
14	16	DNG-1020-14-0160	COX-1020-14-0106
14	20	DNG-1020-14-0200	
16	10	DNG-1020-16-0100	COX-1020-16-0046
16	16	DNG-1020-16-0160	COX-1020-16-0106
16	20	DNG-1020-16-0200	
16	25	DNG-1020-16-0250	
18	10	DNG-1020-18-0100	COX-1020-18-0046
18	16	DNG-1020-18-0160	COX-1020-18-0106
18	20	DNG-1020-18-0200	COX-1020-18-0146
18	25	DNG-1020-18-0250	
18	30	DNG-1020-18-0300	
20	10	DNG-1020-20-0100	COX-1020-20-0049
20	16	DNG-1020-20-0160	COX-1020-20-0109
20	20	DNG-1020-20-0200	

ACCESSORIES

BIOPSY CANNULA

For automatic biopsy

- Optimized cut for histological findings
- Centimeter graduation for precise penetration depth
- Echogenic tip for clear ultrasound visibility
- Clear size recognition by color coating

DNG-1040 among others suitable for Bard® Magnum®



Size (G)	Length (cm)	Order Code	Matching Coaxial Needle
14	10	DNG-1040-14-0100	COX-1040-14-0043
14	13	DNG-1040-14-0130	
14	16	DNG-1040-14-0160	COX-1040-14-0103
14	20	DNG-1040-14-0200	
16	10	DNG-1040-16-0100	COX-1040-16-0043
16	13	DNG-1040-16-0130	
16	16	DNG-1040-16-0160	COX-1040-16-0103
16	20	DNG-1040-16-0200	
18	10	DNG-1040-18-0100	COX-1040-18-0043
18	13	DNG-1040-18-0130	
18	16	DNG-1040-18-0160	COX-1040-18-0103
18	20	DNG-1040-18-0200	COX-1040-18-0143
18	25	DNG-1040-18-0250	
18	30	DNG-1040-18-0300	
20	10	DNG-1040-20-0100	COX-1040-20-0046
20	13	DNG-1040-20-0130	
20	16	DNG-1040-20-0160	COX-1040-20-0106
20	20	DNG-1040-20-0200	


Distributed by UROTECH.

ACCESSORIES

COAXIAL NEEDLE

- Allows multiple sampling through only one percutaneous puncture
- Centimeter graduation and infinitely variable spring clips for exact determination of penetration depth
- Echogenic tip for clear ultrasound visibility
- Luer Lock adapter for anesthetic application

COX



Size (G)	Length (cm)	Order Code
13	4,6	COX-1010-14-0046
13	10,6	COX-1010-14-0106
15	4,6	COX-1010-16-0046
15	10,6	COX-1010-16-0106
17	4,6	COX-1010-18-0049
17	10,6	COX-1010-18-0106
17	14,6	COX-1010-18-0146
19	4,9	COX-1010-20-0049
19	10,9	COX-1010-20-0109
13	4,6	COX-1020-14-0046
13	10,6	COX-1020-14-0106
15	4,6	COX-1020-16-0046
15	10,6	COX-1020-16-0106
17	4,6	COX-1020-18-0046
17	10,6	COX-1020-18-0106
17	14,6	COX-1020-18-0146
19	4,9	COX-1020-20-0049
19	10,9	COX-1020-20-0109
13	4,3	COX-1040-14-0043
13	10,3	COX-1040-14-0103
15	4,3	COX-1040-16-0043
15	10,3	COX-1040-16-0103
17	4,3	COX-1040-18-0043
17	10,3	COX-1040-18-0103
17	14,3	COX-1040-18-0143
19	4,6	COX-1040-20-0046
19	10,6	COX-1040-20-0106

Size (G)	Length (cm)	Order Code
13	5,1	COX-2000-14-0051
13	10,1	COX-2000-14-0101
13	15,1	COX-2000-14-0151
15	5,1	COX-2000-16-0051
15	10,1	COX-2000-16-0101
15	15,1	COX-2000-16-0151
17	5,1	COX-2000-18-0051
17	10,1	COX-2000-18-0101
17	15,1	COX-2000-18-0151
17	20,1	COX-2000-18-0201
19	5,1	COX-2000-20-0051
19	10,1	COX-2000-20-0101
19	15,1	COX-2000-20-0151

Distributed by UROTECH.


ACCESSORIES

DISPOSABLE BIOPSY GUN

For automatic biopsy

- ♦ Optimized cut to obtain high quality histological samples
- ♦ Centimeter markings for exact positioning
- ♦ Echogenic tip for clear visibility using ultrasound
- ♦ One-hand-use with choice of driver either on side or back
- ♦ Can be used semi- or full automatic
- ♦ Side-notch 19 mm

ABG-2020



Size (G)	Length (cm)	Order Code	suitable for coaxial Needle
18	20	ABG-2020-18-0200	COX-2000-18-0151
18	25	ABG-2020-18-0250	COX-2000-18-0201

Distributed by UROTECH.


ACCESSORIES

DISPOSABLE BIOPSY GUN

For automatic biopsy

- ♦ Optimized cut to obtain high quality histological samples
- ♦ Centimeter markings for exact positioning
- ♦ Echogenic tip for clear visibility using ultrasound
- ♦ One-hand-use with choice of driver either on side or back
- ♦ full automatic
- ♦ Side-notch 20 mm
- ♦ Strong spring tension

ABG-2040



Size (G)	Length (cm)	Order Code	suitable for coaxial Needle
18	15	ABG-2040-18-0150	COX-2000-18-0101
18	20	ABG-2040-18-0200	COX-2000-18-0151
18	25	ABG-2040-18-0250	COX-2000-18-0201

Distributed by UROTECH.

ACCESSORIES

SPLIT CANNULA

For suprapubic puncture of the bladder

DESCRIPTION



- Medical stainless steel
- Easy and safe splitting

For Catheter (FR/CH)	Inner Ø (mm)	Outer Ø (mm)	Length (cm)	Order Code
8.5	3.15	3.6	12	SU-121012
12	4.2	4.6	12	SU-121412*
14	5.2	5.6	12	SU-121512**

Note: not compatible with single catheter SU-271205*, SU-271405** & SU-271425**

ACCESSORIES

RENODRAIN DILATORS



Dilator / Single			
Size (FR/CH)	Length (cm)	Order Code	Maximum Guide wire Ø
06	18	RE-440618	0.038"
07	18	RE-440718	0.038"
08	18	RE-440818	0.038"
09	18	RE-440918	0.038"
10	18	RE-441018	0.038"
12	18	RE-441218	0.038"
14	18	RE-441418	0.038"
16	18	RE-441618	0.038"
18	18	RE-441818	0.038"

Dilator-Set			
*split sheath at the biggest dilator			
Size (FR/CH)	Length (cm)	Order Code	Maximum Guide wire Ø
08/10/12/14/16	18	RE-440525	0.038"
08/10/12/14/16	18	RE-440526*	0.038"
12/14/16/18	18	RE-440626*	0.038"

Dilator with split sheath / Single			
Size (FR/CH)	Length (cm)	Order Code	Maximum Guide wire Ø
08	18	RE-440802	0.038"
09	18	RE-440902	0.038"
10	18	RE-441002	0.038"
12	18	RE-441202	0.038"
14	18	RE-441402	0.038"
16	18	RE-441602	0.038"
18	18	RE-441802	0.038"

ACCESSORIES

ADAPTER

Adapter with Luer Lock female



Length (cm)	Order Code Luer Lock female
	KS-114

Adapter with Luer Lock male



Length (cm)	Order Code Luer Lock male
20	RE-450110
10	RE-450106

Adapter for attachment of the urinary drainage bag



UK

Size (FR/CH)	Order Code Luer Lock female
03	UK-645
4.7	UK-611
06	UK-614
08	UK-618



UK-adaptor

🔥 For all sizes

Size (FR/CH)	Order Code Luer Lock female
03-07	UK-ADAPT-3-7

ACCESSORIES

ADAPTER

For UROTECH Ureteral Stents (Mono-J)

Needle Adapter



Size (FR/CH)	Order Code Luer Lock female	Order Code with funnel
4.7	UK-610	UK-610 T
06	UK-612	UK-612 T
07	UK-615	UK-615 T
08	UK-618	UK-618 T

SPECIAL ACCESSORIES

catheter plug

Order code	
KV200	

ACCESSORIES

TUOHY BORST ADAPTER

DESCRIPTION



Tuohy Borst Adapter with syringe connector

- 💡 Attachment to catheter, dilator or puncture needle
- 💡 E.g. injection of contrast agent to visualise the renal pelvis without removing the Guide wire

Order Code

AYC-010

Tuohy Borst Adapter

- 💡 With male Luer-Lock
- 💡 Usable for endoscopy working channel

Order Code

TBM

ACCESSORIES


URODYNAMIC TUBES

Three-part extension set



Inner Diameter (mm)	Length (cm)	Order Code
1.5	150	UD-Z31500

Two-part extension set



Inner Diameter (mm)	Length (cm)	Order Code
1.5	150	UD-Z21500

Infusion tubing



💧 Soft pump section made of silicone

Length (cm)	Order Code
300	UD-Z3000




UROTECH[®]
A MEDI-GLOBE COMPANY



URETERAL CATHETERS

URETERAL CATHETERS

URETERAL CATHETERS For the retrograde urography



Nelaton tip

Size (FR/CH)	Length (cm)	Order Code closed tip	Order Code open tip	Max. Guide wire Diameter
03	70	UK-500370	UK-600370	0.025"
04	70	UK-500470	UK-600470	0.035"
05	70	UK-500570	UK-600570	0.035"
06	70	UK-500670	UK-600670	0.035"
07	70	UK-500770	UK-600770	0.035"

Tiemann tip

Size (FR/CH)	Length (cm)	Order Code closed tip	Order Code open tip	Max. Guide wire Diameter
03	70	UK-510370	UK-540370	0.025"
04	70	UK-510470	UK-540470	0.035"
05	70	UK-510570	UK-540570	0.035"
06	70	UK-510670	UK-540670	0.035"
07	70	UK-510770	UK-540770	0.035"

Ureteral catheter by Prof. Walz

Size (FR/CH)	Length (cm)	Tip by Prof. Walz (FR/CH)	Order Code open tip both sides	Max. Guide wire Diameter
04	70	07	UK-630470	0.035"



UROTECH[®]
A MEDI-GLOBE COMPANY




FOLEY CATHETERS

FOLEY CATHETERS

2-WAY BALLOON CATHETER

100% silicone, with bonded balloon

DESCRIPTION



2-Way Balloon Catheter

💡 Silicone for optimal tissue compatibility

Nelaton tip			
Size (FR/CH)	Length (cm)	Balloon Capacity (ml)	Order Code
12	40	10	MA-201205
12	22	10	MA-221210
14	40	10	MA-201405
14	22	10	MA-221410
14	40	20	MA-211430
16	40	10	MA-201605
16	22	10	MA-221610
16	40	30	MA-211630
18	40	10	MA-201805
18	22	10	MA-221810
18	40	30	MA-211830
20	40	10	MA-202005
20	40	30	MA-212030
22	40	10	MA-202205
22	40	30	MA-212230
24	40	10	MA-202405
24	40	30	MA-212430


Tiemann tip			
Size (FR/CH)	Length (cm)	Balloon Capacity (ml)	Order Code
10	31	05	MA-301010
12	40	05	MA-301210
14	40	05	MA-301410
16	40	10	MA-301610
18	40	10	MA-301810
20	40	10	MA-302010
22	40	10	MA-302210

FOLEY CATHETERS

2-WAY BALLOON CATHETER

100% silicone, Standard and Supersoft

DESCRIPTION



2-Way Balloon Catheter

- 💡 Silicone for optimal tissue compatibility
- 💡 GR-70 also available with „-OS“ (open tip) for insertion over Guide wire

Standard			
Size (FR/CH)	Length (cm)	Balloon Capacity (ml)	Order Code
12	40	05	GR-701210
12	40	05	GR-701210-OS
14	40	05	GR-701410
14	40	05	GR-701410-OS
16	40	05-10	GR-701610
16	40	05-10	GR-701610-OS
18	40	05-10	GR-701810
18	40	05-10	GR-701810-OS
20	40	05-10	GR-702010
22	40	05-10	GR-702210
24	40	05-10	GR-702410
26	40	05-10	GR-702610

Supersoft			
Size (FR/CH)	Length (cm)	Balloon Capacity (ml)	Order Code
12	40	05	GR-601210
14	40	05	GR-601410
16	40	05	GR-601610
18	40	05	GR-601810
20	40	05	GR-602010
22	40	05	GR-602210
24	40	05	GR-602410
26	40	05	GR-602610

FOLEY CATHETERS

3-WAY BALLOON CATHETER Postoperative irrigation and tamponade

100% silicone, with bonded balloon

DESCRIPTION




3-Way Balloon Catheter

- 💡 Silicone for optimal tissue compatibility
- 💡 Large balloon capacity for strong compression and effective haemostasis
- 💡 Very high drainage capacity

Dufour tip

Size (FR)	Length (cm)	Balloon Capacity (ml)	Order Codes
16	42	40	MA-521640
18	42	50	MA-521850
20	42	60	MA-522060
22	42	70	MA-522270
24	42	80	MA-522480




Couvelaire tip

Size (FR)	Length (cm)	Balloon Capacity (ml)	Order Codes
16	42	40	MA-501640
18	42	50	MA-501850
20	42	60	MA-502060
22	42	70	MA-502270
24	42	80	MA-502480



Mercier tip

Size (FR)	Length (cm)	Balloon Capacity (ml)	Order Codes
16	42	40	MA-561640
18	42	50	MA-561850
20	42	60	MA-562060
22	42	70	MA-562270
24	42	80	MA-562480





UROTECH®
A MEDI-GLOBE COMPANY




STONE BASKETS

STONE BASKETS

StoneWrapper®

The high performer of stone extraction baskets...

„StoneWrapper®“



No stone is safe
 Highly technical level for best user convenience: The StoneWrapper is the ideal instrument for complex stone recovery from the most difficult positions.

Perfect for removing concretions of different sizes from hard-to-reach areas of the renal pelvis system comfortably, safely and quickly.

- ◆ Perfect hybrid of grabber and stone extraction basket
- ◆ Elastic, fully articulated three-armed nitinol basket
- ◆ Easy insertion into the lower calyx and quick removal of all concretions
- ◆ Available in two sizes and with two opening options

Effective: work efficiently, save time

The innovative StoneWrapper solves the major challenges involved with flexible ureterorenoscopy: fast and safe atraumatic removal of marginal stones from the renal pelvic system.

STONE BASKETS

The combination of

- ◆ a specially designed three-arm hybrid head (combination of basket and grabber),
- ◆ a new Guide wire technology with high shaft stiffness and hyperflexible distal end,
- ◆ including a Tuohy-Borst adapter and an insertion aid for easy insertion into the endoscope's working channel and as splash guard,
- ◆ a wire design designed for durability and functionality,
- ◆ an ergonomic push handle for fatigue-free working and
- ◆ excellent irrigation for best visibility enables the reliable and fast removal of even the smallest concretions from any position

Size (FR/CH)	Length (cm)	Opening Width Ø (mm)	Order Code
1.5	120	8	48012553
1.5	120	11	48012554
2.0	120	8	48012555
2.0	120	11	48012556


Distributed by UROTECH.

STONE BASKETS

STONE BASKETS

High elastic Nitinol material, with detachable handle acc. to Lahme

“TIPLESS”




- ♦ Delicate 3-, 4- or 6-wire-baskets without tip for the flexible uretero-renoscopy
- ♦ For grasping of smallest stone concretions also on tissue edge
- ♦ With Tuohy Borst Adapter to protect the basket tip

Size (FR/CH)	Wires	Working Length (cm)	Basket Length (mm)	Basket Ø (mm)	Basket Shape	Order Code
1.2	3	120	12	8	straight	STN-T123-120
1.8	4	120	15	11	straight	STN-T184-120
1.8	4	120	15	11	helical	STN-HT184-120
1.8	6	120	13	9	straight	STN-T186-120
2.2	4	120	18	11	straight	STN-T224-120

Handle acc. to Lahme for all stone baskets

- ♦ Dis- and reconnectable handle: endoscope can be removed while basket is situated. Handle and basket can get attached afterwards
- ♦ Fixation of the stone in the basket due to spring mechanism
- ♦ Ergonomic handle design with non-slip surface
- ♦ Basket opens and closes within image area: no adjustment of endoscope necessary



STONE BASKETS

“HELICAL”



Size (FR/CH)	Wires	Working Length (cm)	Basket Length (mm)	Basket Ø (mm)	Tip length (mm)	Order Code
2.5	4	90	30	12	3	STN-L254-090
2.5	4	120	30	12	3	STN-L254-120
3.0	4	90	31	12	3	STN-L304-090
3.0	4	120	31	12	3	STN-L304-120
4.0	4	90	37	15	3	STN-L404-090

“FILIFORM”



Size (FR/CH)	Wires	Working Length (cm)	Basket Length (mm)	Basket Ø (mm)	Tip length (mm)	Order Code
3.0	4	90	30	12	40	STN-F304-090

“STRAIGHT”



Size (FR/CH)	Wires	Working Length (cm)	Basket Length (mm)	Basket Ø (mm)	Tip length (mm)	Order Code
2.5	4	120	30	12	3	STN-G254-120
3.0	4	120	31	12	3	STN-G304-120



UROTECH®
A MEDI-GLOBE COMPANY

Ureteral stents

nephrostomy

Suprapubic Bladder
drainage

Accessories

Ureteral Catheters

Foley catheters

Stone baskets

Special Products




SPECIAL PRODUCTS

SPECIAL PRODUCTS

URETERAL ACCESS SHEATH

With atraumatic tip-transition

DESCRIPTION



Ureteral Access Sheath


- ◆ Unique tip expanding system for atraumatic sheath transition
- ◆ Dilator lock system for secure connection between sheath and dilator
- ◆ Visual control of dilator fixation
- ◆ PTFE inner layer which provides smooth device passage
- ◆ Radiopaque sheath and dilator tip for easy positioning
- ◆ Hydrophilic coating to facilitate the introduction
- ◆ Stainless-steel coil reinforcement sheath which provides high anti-kink characteristics

Tube Length (cm)	Inner Diameter (CH/FR)	Outer Diameter (CH/FR)	Order Code
35	10	12	AS-1235
45	10	12	AS-1245
35	12	14	AS-1435
45	12	14	AS-1445
35	14	16	AS-1635
45	14	16	AS-1645

SPECIAL PRODUCTS

UROBITE Single-use Forceps

DESCRIPTION



Our disposable UROBITE forceps in reusable quality combines the design of alligator mouth and rat tooth.

Single-Use Forceps

- ◆ Single-use forceps in reusable quality
- ◆ Highly flexible tube in two length
- ◆ Can be used with all common cystoscopes with a working channel of at least 6 FR
- ◆ Highly flexible tube for protecting the endoscope
- ◆ Stainless steel forceps with powerful five-toothed rows and rat tooth
- ◆ Comfort and control through the ergonomic, easy-to-use handle
- ◆ Time and efficiency advantage by eliminating the reprocessing process
- ◆ Minimise the risk of cross contamination


Diameter (mm / FR)	Length (cm)	Shape	SU	Order Code
1,8 / 5,4	60 cm	Alligator forceps with rat tooth	10	GSF-18-600
1,8 / 5,4	120 cm	Alligator forceps with rat tooth	10	GSF-18-1200

SPECIAL PRODUCTS

PYELOPLASTY CATHETER

For renal pelvis plastic

SET COMPONENTS



Pyeloplasty Catheter

- ♦ Polyurethane (PUR)
- ♦ Drainage openings in pigtail and in ureter part
- ♦ Markings for exact positioning
- ♦ Radiopaque

Needle Adapter

- ♦ For attachment of the urinary drainage bag

Size (FR/CH)	Length (cm)	Order Code	Max. Guide wire Diameter
04	20 / 50	EK-610476	0.025"
05	20 / 50	EK-610576	0.028"
06	20 / 50	EK-610676	0.035"
07	20 / 50	EK-610776	0.035"
08	20 / 50	EK-610876	0.038"
09	20 / 50	EK-610976	0.038"

SPECIAL PRODUCTS

FLEXIBLE INJECTION NEEDLE

For injection of substances into the lower urinary tract

DESCRIPTION



Flexible Injection Needle (Injectra)

- Safe needle guidance and needlestick protection due to interlocking mechanism
- Ergonomic handle
- Medical stainless steel needle with 15° grinding insures optimal puncture characteristics


Size (FR/CH)	Needle Diameter (G)	Needle Length (mm)	Working length (cm)	Order Code
06	22	04	66	FIN-57-066

SPECIAL PRODUCTS

FLEXIBLE INJECTION NEEDLE

For injection of substances into the lower urinary tract

DESCRIPTION



Short flexible Needle

- Tuohy Borst Adapter for fixation on cystoscope working channel and for splash protection
- Easy and continuous orientation of needle position (grinding) via marking line


Size (FR/CH)	Needle Diameter (G)	Needle Length (mm)	Working length (cm)	Order Code
Flexible Needle (cylinder clearance 0,9 ml)				
05	23	08	38	FIN-05-380
06	21	08	38	FIN-06-380
Flexible Needle (cylinder clearance 0,9 ml) with Tuohy Borst Adapter				
05	23	08	36	FIN-TB-05-360
06	21	08	36	FIN-TB-06-360

SPECIAL PRODUCTS

FISTOFIX Renal Cyst Puncture Set

One-step technique, tip with pigtail

SET COMPONENTS



Catheter

- ♦ Tube to support insertion of puncture needle (pigtail catheter)
- ♦ Straight catheter is pre-assembled on needle

Puncture Needle

- ♦ Ultrasonic visible

Puncture Set with pigtail Catheter			
Size (FR/CH)	Length (cm)	Order Code	Length puncture needle (cm)
05	25	ZY-800625	26



UROTECH[®]
A MEDI-GLOBE COMPANY

Special Products

Stone baskets

Foley catheters

Ureteral Catheters

Accessories

Suprapubic Bladder
drainage

nephrostomy

Ureteral stents



We are there for you around the globe

UROTECH belongs to the Medi-Globe Group, a company with high commitment, great efficiency and a solid financial structure. With 150 employees at our headquarters in Achenmühle near Rosenheim, our own branches in the Czech Republic and Austria and worldwide trade partnerships, we ensure that our modern medical products for urology are available to doctors, healthcare professionals and, of course, patients around the globe.

We are learning every day. The changing legal requirements in the countries, the evolving requirements, the medical or medical technological advancements: Thanks to our worldwide network, we are always up to date – and able to react quickly.

Cooperation based on partnership is one of our great strengths. We are open-minded for all players in our field of activity.

We are URO.
Simply give us a call!

UROTECH GmbH

Medi-Globe-Straße 1-5
D-83101 Rohrdorf OT Achenmühle
Phone: +49 (0) 8032 - 973-210
Fax: +49 (0) 8032 - 973-211
E-Mail: info@urotech.com
www.urovision-urotech.de